MEMO RESTING SLIP	NEVER USE I CONCURR	ENCES, OR SIM	ACTIONS
NAME OR TITLE		INITIALS	CIRCULATE
ORGANIZATION AND LOCATION		DATE	COORDINATION
•			FILE
			INFORMATION
	· ************************************		NECESSARY ACTION
			NOTE AND RETURN
			SEE ME
			SIGNATURE
Are both war train at any Is cylinder us be interchanged wo, of space How is cylinder	point? r body solv	d, or ca	u horiz,
How is gear			
How is gear			Aw

DD 1 FORM 95 Replaces DA AGO Form 895, 1 Apr 45, and AFRQ 50—16—48487-4 are 16

● **SECR: 248**4943

SECRE T		ROUTINE	AGI#	ø567ø =	VASST
FM:	CH NSA EUROPE	INFO: S/ASST	ACT: INFO:	72 Ø621	1-3
TO:	DIRNSA		1141 0.	115	5
DTG:	2814212 APRIL 54			ø64 V/DIR	6 7
MSG NR:	FW 711			33	8-9
	ATTN NSA 72			COMSEC Ø621	1Ø-15 16

REUR 201930Z SPLECHNA INTERVIEWED. NO CRYPT INFO BUT NAMED HORST JUCIUS ANOTHER COLLEAGUE OF DR FOGY RECENTLY REPATRIATED PROBABLY TO WEST BERLIN. ALSO BACKGROUND INFO RECD ON KUTSCHINE (OBJECT 568 K). SUBJ STATED MORE IMPORTANT AND SECRET PROJECTS WERE AT MARFINO. KUTCSHCHINE CLOSED DOWN INFO 1951-1952 AFTER BEING NAMED OVER BBC BROADCAST. MEYER RE-INTERVIEWED AND GAVE FURTHER INFO RE COL HASSAN CIPHER DEVICE WHICH HE STATED MGB BUT INTO USE IN 1951 FOR ENCIPHERING TFC. MEYER WORKED ON MAGNETIC CLUTCH BEING SUBSTITUTED FOR MECHANICAL CLUTCH ON THIS DEVICE. CHIEF ROMT OF MAGNETIC CLUTCH WAS THAT IT MUST NOT SLIP. DESCRIPTION OF DEVICE:

- (1) MOTOR CURRENT REDUCED TO BELOW 100 VOLTS STABILIZED AND CONTROLLED ON 50 CYCLES.
- (2) 2 REGULATED SPEED MOTORS 1 TO TURN DISK AND 1 TO TURN CYLINDER
- (3) 1 SWITCH STARTS BOTH MOTORS AT ONCE.

DATE RECD: 282300Z APRIL 54 BL/ARJ COPY 17 OF

COPY /7 OF , 17 . COPIES
PAGE 1 OF PAGES

PARAPHRASE NOT REQUIRED
CONSULT CRYPTOCENTER BEFORE DECLASSIFYING

SECRET

FORM 781-C10C 6 JUL 51 SECRET

ROUTINE

AGI# Ø567Ø.

DTG:

281421Z APRIL 54

MSG NR: FW 711

- (4) GEAR TRAIN AND MAGNETIC CLUTCH TURNS DISK AT VERY REGULAR CONSTANT SPEED ESTIMATED AT BETWEEN 2500 TO 750 RPM.
- (5) GEAR TRAIN ADJUSTABLE TO 4 SPEEDS TURNS CYLINDER.
- (6) 1 STARTING POSITION FOR DISK
- (7) CYLINDER ADJUSTS TO APPROX 8 DIFFERENT STARTING POSITIONS
- (8) NO MECHANICAL CONNECTION BETWEEN DISK AND, ELECTRICAL CONNECTION POSSIBLE BUT MEYER HAD NO OPPORTUNITY TO TRACE WIRING
- (9) INTERNAL WIRING OF CYLINDER UNKNOWN
- (10) 10-12 MM LONG CONTACTS IRREGULARLY SPACED IN HORIZONTAL ROWS ON SURFACE OF CYLINDER VERTICAL ROWS OF CONTACTS AVOIDED AT LEAST ON VISIBLE SIDE OF CYLINDER
- (11) PLATINUM TIPPED METALIC BRUSHES LONG ENOUGH TO TOUCH CONTACTS WERE FIXED BY SCREWS INTO IRREGULARLY SPACED NOTCHES ON HORIZONTAL BAR ABOVE CYLINDER.
- (12) WIRES FROM THESE BRUSHES WERE LACED INTO A CABLE WHICH MEYER HAD NOT TRACED
- (13) MEYER THOUGHT IT UNLIKELY THESE BRUSHES COULD BE SHIFTED EXCEPT POSS BY INSTALLING NEW BAR WITH DIFFERENTLY SPACED NOTCHES.

COPY OF COPIES
PAGE 2 OF 3 PAGES

PARAPHRASE NOT REQUIRED CONSULT CRYPTOCENTER BEFORE DECLASSIFYING

SECRET

FORM 781-C10C 6 JUL 51 SECRET

ROUTINE

AGI# Ø567Ø

DTG:

281421Z APRIL 54

MSG NR: FW 711

- (14) CYLINDER WAS 100-120 MM IN DIAMETER, 600-800 MM LONG ROTATED IN ONE DIRECTION. ONLY
- (15) PERIFERY OF DISK CONTAINS 128 CONTACTS EA 3 MM WIDE AND SPACED ABOUT 10 MM APART. THESE ARE RANDOM CROSSWIRED INSIDE DISK WITH 64 WIRES.
- (16) INSIDE OF STATIONARY DRUM IN WHICH DISK ROTATES ALSO CONTAINS
 128 CONTACTS. MEYER HAD NOT TRACED WIRES LEADING FROM DRUM
 CONTACTS
- (17) MEYER TERMED THIS A MECHANICAL CIPHER DEVICE BECAUSE DRIVE AND CONTACTS ARE MECH AND NON-CHANGEABLE.
- (18) DEVELOPMENT OF AN ELECTRICAL ENCIPHERING DEVICE AHIMARFINO
 IN 1951 WAS MENTIONED TO MEYER BYA LATVIA NAMED HERXENBERG (SOURCE
 OF MEYERS COM SEC INFO) WHO MET MEYER WHILE ENROUTE TO A NORTH
 PRISON CAMP AFTER LEAVING MCA DBIN NOV 51. MEYERS COULD NOT SAY WHAT
 HE MEANT BY THE TERM ELECENCIPHERING DEVICE.
- (19) FULL WRITTEN REPORT UNDER PREPARATION WILL BE FWDD AIR COURIER.
 RELATED SUBJ ASAES TWO HAS REQST CIC TO LOCATE (BUT NOT CONTACT)
 NEUMAN, AS ADAM, AND LUCIUS ALL FORMERLY OF MARFINO AND THEREFORE

MOST LIKELY TO HAVE FURTHER CRYPTO INFORMATION
NSA 115 NOTE: DTG: .201930Z IS AGO# 10564 ORIG 0621
COPY OF COPYES
PAGE 3 OF 3 PAGES

CONSULT CRYPTOCENTER BEFORE DECLASSIFYING

FORM 781-C10C 6 JUL 51