MEMO ROUTING TO ID: A4146536

WIEWO HOUTING BIII			
1 NAME OR TITLE WAS WELL	INITIALS	c	IRCULATE
ORGANIZATION AND LOCATION	DATE		ONCUR- ENCE
2 ren		FI	LE
		IN	FORMATION
3		N:	ECESSARY CTION
		e Ri	OTE AND ETURN
4		SI	EE ME
		SI	GNATURE
Sout a copy of your report to D. Kullbrock who has been Studying this godget His first appraisal was pretty low but down but I don't think he know all the details. This device seems to present pretty good security for its pize. Have you am Suggestion for further study as to its possibilities for Jour own usage. Declassified and approved for release by NSA on 10-20-2014			
pursuant to E.O. 13526			
FROM NAME OR TITLE		DATE	
ORGANIZATION AND LOCATION		TELEPH	ONE

For a law- echelow macker ID: A4146536 devicewould be very difficult to change to Keyboard operation including a printer. For improvements, disregarding the mechanical difficulties, several things can be done. 1. Lengthen the stepping cycle. This can be done by using larger wheels, on steel tapes with punch on no-punch, or link Chaine with two kinds of links 2. Use two complete alphabete, one for the upper and one for the lawer position. The slide would then step 52 positione instead of 26 but each alphabet would he independent and letters could represent themselves. 3. a means of disrupting the negular stepping of the wheele (or topen, or chainse) so that active and inactive pine would In rather danktful that it would be suitable for authentication

REF ID:A4146536

TOP SECRET

File

28 December 1949

MEMORANDUM FOR: Mr. Friedman

Subject:

Theoretical Security of the "Schlüsselkasten".

- 1. The security of the Schlussenkasten appears to be fairly high, but I believe that when used in low echelon with a moderate amount of traffic the system will not offer the security required at that level. There follows a brief analysis of the system.
- 2. The Germans believed that the theoretical security of the Schlussenkasten was equivalent to or greater than the Enigma. Some of the weaknesses, however, which appear to negate the opinion of the Germans are made use of in the analysis.

- 4. Recovery of the two alphabets presents the most trouble. Cribs and direct depths as well as isomorphs will be the data required. Cribs can be placed since a letter cannot represent itself. As reconstruction progresses additional limitations can be used to place cribs.
- a. The reconstruction of the machine can be accomplished, I think, in three steps: (1) Determining the limitations present in each of the two alphabets, i.e., like and unlike substitution values in the upper and lower alphabets; (2) Recovery of the alphabets; and (3) Recovery of the pin wheel patterns.

PL 86-36/50 USC 3605

TOP SECRET

Do NOT Destroy Resurn to the NSA Technical Library when no longer needed

EO 3.3(h)(2) PL 86-36/50 USC 3605

TOP SECRET

- c. Once the separation is determined the portions of matched plain and cipher text can be divided into three categoriés (1) upper alphabet; (2) lower alphabet; and (3) ambiguous. Direct depths and isomorphic depths should help and recovery will be along the usual lines.
- d. When the two alphabets are recovered the intermal the slide has moved between letters is readily determined from the matched plain and cipher. Since the wheels move regularly, placement of active and inactive fins is relatively simple. As long a crib as possible is desirable, otherwise short cribs may not produce enough pin patterns to permit joining the stepping cycle in relative order. With alphabets recovered, however, and knowing the average interval is about 4, cribs probably can be extended.
- e. Isomorphic depths can be helpful in separating the two alphabets and in recovery. The isomorphisms are not as easily recognized as in normal cases since the relation exists as two interlaced isomorphs, each behaving as in the normal case. With sufficient material it seems probable that the isomorphic feature alone might well lead to a complete solution.

parellel in 3undian VIOLET markenic (4 ratio) - COT.

JAMES H. DOUGLAS